BBA

Gene Structure and Expression

Special issue: Mechanism and Control of Translation

Vol. 1050, No. 1–3; 27 August 1990

Contents

Regular Papers

Crystals of complexes mimicking protein biosynthesis are suitable for crystallographic studies
H.A.S. Hansen, N. Volkmann, J. Piefke, C. Glotz, S. Weinstein, I. Makowski, S. Meyer, H.G. Wittmann and A. Yonath (F.R.G., Israel) 1

The three-dimensional structure and function of *Escherichia coli* ribosomal RNA, as studied by cross-linking techniques
R. Brimacombe, P. Gornicki, B. Greuer, P. Mitchell, M. Osswald, J. Rinke-Appel, D. Schüler and K. Stade (Germany) 8

Is there a special function for U · G basepairs in ribosomal RNA?
P.H. Van Knippenberg, L.J. Formenoy and H.A. Heus (The Netherlands) 14

Site-specific mutation of the conserved m^6_2A m^6_2A residues of *E. coli* 16S ribosomal RNA. Effects on ribosome function and activity of the ksgA methyltransferase
P.R. Cunningham, C.J. Weitzmann, K. Nurse, R. Masurel, P.H. Van Knippenberg and J. Ofengand (U.S.A., The Netherlands) 18

Effects of mutagenesis of C912 in the streptomycin binding region of *Escherichia coli* 16S ribosomal RNA
A.L. Frattali, M.K. Flynn, E.A. De Stasio and A.E. Dahlberg (U.S.A.) 27

Dissection of the 16S rRNA binding site for ribosomal protein S4
A. Sapag, J.V. Vartikar and D.E. Draper (U.S.A.) 34

Probing tRNA binding sites on the *Escherichia coli* 30 S ribosomal subunit with photoreactive analogs of the anticodon arm
J. Wower, T.A. Malloy, IV, S.S. Hixson and R.A. Zimmermann (U.S.A.) 38

Interaction of tRNA with domain II of 23S rRNA
W.E. Hill, A. Tassanakajohn and W.E. Tapprich (U.S.A.) 45

The acidic ribosomal proteins as regulators of the eukaryotic ribosomal activity
M.T. Saenz-Robles, M. Remacha, M.D. Vilella, S. Zinker and J.P.G. Ballesta (Spain, Mexico) 51

Evidence for an additional archaebacterial gene cluster in *Halobacterium marismortui* encoding ribosomal proteins HL46e and HL30
U. Bergmann and E. Arndt (Germany) 56

Cloning and characterization of the genes for ribosomal proteins L10 and L12 from *Synechocystis* Sp. PCC 6803: comparison of gene clustering pattern and protein sequence homology between cyanobacteria and chloroplasts
C. Sibold and A.R. Subramanian (Germany) 61

The primary structure of rat ribosomal proteins: the amino acid sequences of L27a and L28 and corrections in the sequences of S4 and S12
I.G. Wool, Y.-L. Chan, V. Paz and J. Olvera (U.S.A.) 69

In vivo and in vitro analysis of structure-function relationships in ribosomal protein L25 from *Saccharomyces cerevisiae*
C.A. Rutgers, P.J. Schaap, J. Van 't Riet, C.L. Woldringh and H.A. Raué (The Netherlands) 74

Characterization of a 17 kDa protein gene upstream from the small cytoplasmic RNA gene of *Bacillus subtilis*
J.C.R. Struck, R.K.-K. Far, W. Schröder, F. Hucho, H.Y. Toschka and V.A. Erdmann (Germany) 80

The conformation of the initiator tRNA and of the 16S rRNA from *Escherichia coli* during the formation of the 30S initiation complex
P. Romby, H. Wakao, E. Westhof, M. Grunberg-Manago, B. Ehresmann, C. Ehresmann and J.-P. Ebel (France) 84

Escherichia coli 30S mutants lacking protein S20 are defective in translation initiation
F. Götz, E.R. Dabbs and C.O. Gualerzi (Germany, Italy) 93

A deletion mutation at the 5′ end of *Escherichia coli* 16S ribosomal RNA
P. Melançon, D. Leclerc and L. Brakier-Gingras (Canada) 98

Complete nucleotide sequence of the group I RNA bacteriophage fr
M.R. Adhin, A. Avots, V. Berzin, G.P. Overbeek and J. Van Duin (The Netherlands, U.S.S.R.) 104

continued

Secondary structure at the 3′ terminal region of RNA coliphages: comparison with tRNA
M.R. Adhin, J. Alblas and J. Van Duin (The Netherlands) 110

Transition of the mRNA sequence downstream from the initiation codon into a single-stranded conformation is strongly promoted by binding of the initiator tRNA
A. Balakin, E. Skripkin, I. Shatsky and A. Bogdanov (U.S.S.R.) 119

An initiation signal in the 5′ untranslated leader sequence of encephalomyocarditis virus RNA
P. Oudshoorn, A. Thomas, G. Scheper and H.O. Voorma (The Netherlands) 124

Distinct epitopes in eukaryotic initiation factor 2 for binding of mRNA and for ternary complex formation with methionyl-$tRNA_f$ and GTP
R. Harary and R. Kaempfer (Israel) 129

Translation initiation factors that function as RNA helicases from mammals, plants and yeast
M. Jaramillo, K. Browning, T.E. Dever, S. Blum, H. Trachsel, W.C. Merrick, J.M. Ravel and N. Sonenberg (Canada, U.S.A., Switzerland) 134

Expression of translation initiation factor 4A from yeast and mouse in *Saccharomyces cerevisiae*
A. Prat, S.R. Schmid, P. Buser, S. Blum, H. Trachsel, P.J. Nielsen and P. Linder (Switzerland, F.R.G.) 140

Specificity of the induction of ferritin synthesis by hemin
J.J. Lin, S. Daniels-McQueen, L. Gaffield, M.M. Patino, W.E. Walden and R.E. Thach (U.S.A.) 146

cis-Acting sequences involved in the translational control of *GCN4* expression
P.F. Miller and A.G. Hinnebusch (U.S.A.) 151

Translation initiation factor-dependent extracts from *Saccharomyces cerevisiae*
M. Altmann, S. Blum, J. Pelletier, N. Sonenberg, T.M.A. Wilson and H. Trachsel (Switzerland, Canada, U.S.A.) 155

The role of mammalian initiation factor eIF-4D and its hypusine modification in translation
J.W.B. Hershey, Z. Smit-McBride and J. Schnier (U.S.A.) 160

A fluorescence study of the interaction of protein synthesis initiation factors 4A, 4E, and 4F with mRNA and oligonucleotide analogs
D.J. Goss, S.E. Carberry, T.E. Dever, W.C. Merrick and R.E. Rhoads (U.S.A.) 163

Epstein-Barr virus gene expression in interferon-treated cells. Implications for the regulation of protein synthesis and the antiviral state
P.A. Clarke, N.A. Sharp, J.R. Arrand and M.J. Clemens (U.K.) 167

The translation system of mammalian mitochondria
T.W. O'Brien, N.D. Denslow, J.C. Anders and B.C. Courtney (U.S.A) 174

Search of essential parameters for the aminoacylation of viral tRNA-like molecules. Comparison with canonical transfer RNAs
R. Giegé, J. Rudinger, T. Dreher, V. Perret, E. Westhof, C. Florentz and J.P. Ebel (France, U.S.A.) 179

Aminoacylation of 3′ terminal tRNA-like fragments of turnip yellow mosaic virus RNA: the influence of 5′ nonviral sequences
R.M.W. Mans, P.W.G. Verlaan, C.W.A. Pleij and L. Bosch (The Netherlands) 186

Similarities and differences in the inhibition patterns of thiostrepton and viomycin: evidence for two functionally different populations of P sites when occupied with AcPhe-tRNA
U.R. Kutay, C.M.T. Spahn and K.H. Nierhaus (Germany) 193

The extension of polyphenylalanine and polylysine peptides on *E. coli* ribosomes
B. Hardesty, W.D. Picking and O.W. Odom (U.S.A.) 197

Structural determination of the functional sites of *E. coli* elongation factor Tu
B.F.C. Clark, M. Kjeldgaard, T.F.M. La Cour, S. Thirup and J. Nyborg (Denmark) 203

Three-dimensional models of the GDP and GTP forms of the guanine nucleotide domain of *Escherichia coli* elongation factor Tu
F. Jurnak, S. Heffron, B. Schick and K. Delaria (U.S.A.) 209

Mutagenesis of the NH_2-terminal domain of elongation factor Tu
F. Gümüsel, R.H. Cool, A. Weijland, P.H. Anborgh and A. Parmeggiani (France) 215

Ternary complexes of *Escherichia coli* aminoacyl-tRNAs with the elongation factor Tu and GTP: thermodynamic and structural studies
G. Ott, M. Schiesswohl, S. Kiesewetter, C. Förster, L. Arnold, V.A. Erdmann and M. Sprinzl (F.R.G., Czechoslovakia) 222

The interaction between aminoacyl-tRNA and the mutant elongation factors Tu A_R and B_0
J.P. Abrahams, J.J.C. Acampo, G. Ott, M. Sprinzl, J.M. De Graaf, A. Talens and B. Kraal (The Netherlands, F.R.G.) 226

Isolation and characterization of the structural gene encoding elongation factor 3
M.S.J.A.L.B. DiDomenico and K. Chakraburtty (U.S.A.) 230

Characterization of protein synthesis factors from rabbit reticulocytes
W.C. Merrick, T.E. Dever, T. Goss Kinzy, S.C. Conroy, J. Cavallius and C.L. Owens (U.S.A.) 235

Elongation factor 1β of artemia: localization of functional sites and homology to elongation factor 1δ
H.T.F. Van Damme, R. Amons, R. Karssies, C.J. Timmers, G.M.C. Janssen and W. Möller (The Netherlands) 241

Growth rate dependence of global amino acid composition
V. Emilsson and C.G. Kurland (Sweden) 248

The influence of the concentrations of elongation factors and tRNAs on the dynamics and accuracy of protein biosynthesis
A. Pingoud, F.-U. Gast and F. Peters (F.R.G.) 252

Third position base changes in codons 5′ and 3′ adjacent UGA codons affect UGA suppression in vivo
R.H. Buckingham, P. Sörensen, F.T. Pagel, K.A. Hijazi, B.H. Mims, D. Brechemier-Baey and E.J. Murgola (France, U.S.A.) 259

Role of tRNA modification in translational fidelity
T.G. Hagervall, J.U. Ericson, K.B. Esberg, L. Ji-nong and G.R. Björk (Sweden) 263

Guanosine modifications in runoff transcripts of synthetic transfer RNA-Phe genes microinjected into *Xenopus* oocytes
H. Grosjean, L. Droogmans, R. Giégé and O.C. Uhlenbeck (France, U.S.A.) 267

The role of EF-Tu and other translation components in determining translocation step size
T.M.F. Tuohy, S. Thompson, R.F. Gesteland and J.F. Atkins (U.S.A., Ireland) 274

A mutation which modifies the activity of a translational suppressor in *Aspergillus nidulans*
S. Perera and S.D. Martinelli (U.K.) 279

Frameshifting at the internal stop codon within the mRNA for bacterial release factor-2 on eukaryotic ribosomes
C. Donly, J. Williams, C. Richardson and W. Tate (New Zealand) 283

Test system for determination of HIV-1 frameshifting efficiency in animal cells
H. Reil and H. Hauser (F.R.G.) 288

FIS-dependent trans-activation of tRNA and rRNA operons of *Escherichia coli*
L. Bosch, L. Nilsson, E. Vijgenboom and H. Verbeek (The Netherlands) 293

Potential binding sites of the *trans*-activator FIS are present upstream of all rRNA operons and of many but not all tRNA operons
H. Verbeek, L. Nilsson, G. Baliko and L. Bosch (The Netherlands, Sweden, Hungary) 302

Sequences upstream of the −35 hexamer of *rrnB* P1 affect promoter strength and upstream activation
C.A. Josaitis, T. Gaal, W. Ross and R.L. Gourse (U.S.A.) 307

Regulatory elements downstream of the promoter of an rRNA gene of *E. coli*
K. Csiszár, T. Lukacsovich and P. Venetianer (Hungary) 312

Mapping of two promoters for elongation factor Tu within the structural gene for elongation factor G
J.M. Zengel and L. Lindahl (U.S.A.) 317

Single base alterations upstream of the *E. coli* 16S rRNA coding region result in temperature-sensitive 16S rRNA expression
H. Mori, C. Dammel, E. Becker, K. Triman and H.F. Noller (U.S.A.) 323

Translational control of ribosomal protein S15
C. Portier, C. Philippe, L. Dondon, M. Grunberg-Manago, J.P. Ebel, B. Ehresmann and C. Ehresmann (France) 328

Transcriptional organization of the S10, *spc* and α operons of *Escherichia coli*
L. Lindahl, F. Sor, R.H. Archer, M. Nomura and J.M. Zengel (U.S.A.) 337

The translational regulation of threonyl-tRNA synthetase. Functional relationship between the enzyme, the cognate tRNA and the ribosome
H. Moine, B. Ehresmann, P. Romby, J.P. Ebel, M. Grunberg-Manago, M. Springer and C. Ehresmann (France) 343

Multifunctional DNA-binding proteins mediate concerted transcription activation of yeast ribosomal protein genes
W.H. Mager and R.J. Planta (The Netherlands) 351

Author index 357